



**FIRE
FOCUS**

BUNDLE PROMO

CONVENTIONAL DETECTION SYSTEM





FDP International Group
Specialist manufacturers of
smoke detection systems since
1978, 100% made in Italy

FIRE FOCUS

**FIREFOCUS IS THE FIRE
RANGE DEDICATED TO
PROFESSIONALS THAT
INCLUDES THE
ADDRESSABLE SYSTEM AND
THE CONVENTIONAL
SYSTEM**



CONVENTIONAL SYSTEM FIREFOCUS

ECONOMICAL AND SIMPLE FOR LESS
COMPLEX SYSTEMS

For the most basic applications, it is important to reduce execution costs without sacrificing the primary objective, which is to ensure total security and protection.

That is why the conventional system of the FireFocus line is the most suitable solution: through a **quick and effective installation**, it allows you to perform **reliable and high-performance systems**, while **ensuring affordability and correct dimensions**.

FireFocus encapsulates this historic and tireless technology in the form of a bundle dedicated to the professional.

WITH CONVENTIONAL FIREFOCUS
BUNDLES YOU CAN COUNT ON:

- sturdy control units that only require the cabling of two wires to connect the components located in the environment
- no programming is required
- a robust, stable and reliable system



B460: THE UNIVERSAL BASE FOR ALL SENSORS

FIREFOCUS PRESENTS A SINGLE
UNIVERSAL BASE FOR ALL TYPES OF
DETECTORS, BOTH CONVENTIONAL AND
ADDRESSABLE:

- One wiring type only
- Only one connection scheme
- Zero delays in the installation of the system, even in case of uncertainty about the type of technology to be used
- You can decide at a later time whether to apply a conventional or addressable detector to the B460 universal base
- You can install the base first and apply all the sensors later

This translates into a considerable saving of time, reduction of the chances of error in the material selection phase and optimization of inventories.

www.fdpinternational.com

CONVENTIONAL BUNDLE



KIT10101

- **1 pc code CFN2M:** Conventional 2-zone control unit
- **1 pc code B460:** Universal base for conventional and addressable detectors
- **1 pc code CF401:** Conventional optical smoke detector
- **1 pc code P5:** Resettable manual button

2 ZONES



CONVENTIONAL BUNDLE



KIT10102

- **1 pc code CFN4M:** Conventional 4-zone control unit
- **2 pcs code B460:** Universal base for conventional and addressable detectors
- **2 pcs code CF401:** Conventional optical smoke detector
- **1 pc code P5:** Resettable manual button

4 ZONES



Offer valid until stocks last, not combinable with special negotiations.

4 ZONES DIAGRAM OF COMPONENTS AND CONNECTIONS

Maximum 32 devices for each conventional zone (UNI 9795 regulatory limit).


A single detection technology and therefore a single type of product for each conventional zone.

A conventional zone protects only one fire zone.

The maximum number of signalling devices, connected to the supervised output, is given by the electrical load limit indicated in the product datasheets

Please Note The numbering of the zones is purely indicative and does not concern the technical aspect of the system.

24V fire alarm supervised output



Conventional zone connection

Fire alarm supervised connection 24V output

Connection between the status repeat indicator and the B460 base

**SCAN THE QR CODE AND
SUBSCRIBE TO OUR CHANNEL
DEDICATED
TO FIRE PROFESSIONALS!**

You will receive technical and regulatory insights, installation guides and tutorials directly in your inbox, hot tips and best practices to facilitate your work.



**Follow us on social
networks:
in**

FDP INTERNATIONAL FDP

INTERNATIONAL

FIRE DETECTION PROJECT



FIRE FOCUS

**FireFocus is a FDP
International Group brand**

Via L. Pierobon, 127
35010 Limena (PD) Italy

Tel: +39 049 76 72 49
info@fdpinternational.com
www.fdpinternational.com